

	Type	Hits	Search Text	DBs
1	BRS	10	5,740,000	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	19	5,654,862	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	36	5,530,612	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	16	5,515,225	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	11	5,946,177	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	18	5,508,649	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	16	5,744,842	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	11	5,559,659	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	3	6,091,593	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	5	6,072,682	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	3	6,014,298	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	216	N+/P	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	0	N+/P same capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	96	N+/P and capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	0	N+/P same junction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	83	N+/P same layer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	148	N+/P same (layer substrate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
1	2003/07/17 09:49			0
2	2003/03/18 14:07			0
3	2003/03/18 14:08			0
4	2003/03/18 14:09			0
5	2003/03/18 14:09			0
6	2003/03/18 14:10			0
7	2003/03/18 14:10			0
8	2003/03/18 14:10			0
9	2003/03/18 14:11			0
10	2003/03/18 14:11			0
11	2003/03/18 14:11			0
12	2003/07/15 10:01			0
13	2003/07/15 10:01			0
14	2003/07/15 10:02			0
15	2003/07/15 10:02			0
16	2003/07/15 10:02			0
17	2003/07/15 10:04			0

	Type	Hits	Search Text	DBs
18	BRS	47	N+/P same (layer substrate) and P+/N	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	46	N+/P same (layer substrate well) and P+/N same (layer substrate well)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	22	N+/P same (layer substrate well) and P+/N same (layer substrate well) and capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	10	("4531068" "4570244" "4626715" "4734752" "4736271" "4746817" "4777389" "4820942" "4857770" "4914318").PN.	USPAT
22	BRS	10	("4531068" "4570244" "4626715" "4734752" "4736271" "4746817" "4777389" "4820942" "4857770" "4914318").PN.	USPAT
23	BRS	3	N+/P and P+/N same capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	0	N+/P same P+/N same capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	BRS	26	N+/P same P+/N and capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	7685	PMOS same NMOS and capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	1688	PMOS same NMOS same capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	410	PMOS same NMOS same parasitic same capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	438	PMOS same NMOS same (parasitic stray) same capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	222	esd same RC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	24	esd same shunt same RC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	2894	junction adj capacitance same voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
18	2003/07/15 10:04			0
19	2003/07/15 10:05			0
20	2003/07/15 11:06			0
21	2003/07/15 10:33			0
22	2003/07/15 10:38			0
23	2003/07/15 11:37			0
24	2003/07/15 11:07			0
25	2003/07/15 11:08			0
26	2003/07/15 11:08			0
27	2003/07/15 11:08			0
28	2003/07/15 11:08			0
29	2003/07/15 11:09			0
30	2003/07/15 11:09			0
31	2003/07/15 11:24			0
32	2003/07/15 11:24			0

	Type	Hits	Search Text	DBs
33	BRS	37	junction adj capacitance adj voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	0	N+/P same P+/N same capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	BRS	26	N+/P same P+/N and capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	BRS	3	N+/P and capacitance adj voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	BRS	21	5,654,862	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	BRS	95	esd same (multi plural) same (power supply supplies)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	BRS	17	esd same (multi plural) same (power supply supplies) same (diode diodes)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	BRS	18	esd same I/O same (multi plural) same (power supply supplies) and (diode diodes)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	BRS	10	esd same I/O and (multi plural) adj (power supply supplies) and (diode diodes)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	1	esd same I/O and (multi plural) adj (power supply supplies) and (diode diodes) and shunt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	BRS	11	esd same I/O and (multi plural) adj (power supply supplies)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	BRS	1	esd and radio and (multi plural) adj (power supply supplies)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	BRS	2	9,749,347	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	BRS	2	6,485,276	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	BRS	177	esd and input adj capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	BRS	89	esd same input adj capacitance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	4	esd same input adj capacitance and voltage adj dependency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
33	2003/07/15 14:35			0
34	2003/07/15 11:37			0
35	2003/07/15 11:39			0
36	2003/07/15 11:39			0
37	2003/07/15 14:42			0
38	2003/07/15 14:43			0
39	2003/07/15 14:45			0
40	2003/07/15 15:47			0
41	2003/07/15 14:52			0
42	2003/07/15 14:53			0
43	2003/07/15 14:55			0
44	2003/07/15 15:08			0
45	2003/07/15 14:58			0
46	2003/07/15 14:58			0
47	2003/07/15 15:08			0
48	2003/07/15 15:09			0
49	2003/07/15 15:37			0

	Type	Hits	Search Text	DBs
50	BRS	25	("4939616" "5012317" "5225702" "5453384" "5465189" "5502328" "5519242" "5581104" "5629544" "5631793" "5646808" "5654862" "5719737" "5754381" "5807791" "5811857" "5907462" "5910874" "5932918" "5940258" "5990520" "6015992" "6034397" "6081002" "6258634" "2002/0033520").PN.	USPAT
51	BRS	29	5,631,793	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	8	("5086365" "5173755" "5208475" "5208719" "5237395" "5287241" "5528188" "5530612").PN.	USPAT
53	BRS	22	5631793.URPN.	USPAT
54	BRS	21	esd same (multi plural) adj (power supply supplies)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	BRS	11	5,946,177	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	BRS	6	("5239440" "5287241" "5440162" "5559659" "5654862" "5745323").PN.	USPAT
57	BRS	20	5,721,656	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	BRS	3475	361/56	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
59	BRS	350619 4	AT "000522" U1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
60	BRS	11	"000522"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
61	BRS	6	5,991,135	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	BRS	18	5,744,842	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
63	BRS	76	P+/N same diode	USPAT; US-PGPUB
64	BRS	1	P+/N same diode same shape	USPAT; US-PGPUB
65	BRS	10	P+/N same diode same esd	USPAT; US-PGPUB

	Time Stamp	Comments	Error Definition	Errors
50	2003/07/15 15:11			0
51	2003/07/15 15:37			0
52	2003/07/15 15:37			0
53	2003/07/15 15:42			0
54	2003/07/15 17:39			0
55	2003/07/15 17:04			0
56	2003/07/15 16:47			0
57	2003/07/15 17:04			0
58	2003/07/15 17:39			0
59	2003/07/16 09:30			0
60	2003/07/16 09:34			0
61	2003/07/16 10:34			0
62	2003/07/16 10:34			0
63	2003/07/16 11:59			0
64	2003/07/16 11:48			0
65	2003/07/16 11:59			0

	Type	Hits	Search Text	DBs
66	BRS	14	P+/N same diode and shape	USPAT; US-PGPUB
67	BRS	57	P+/N same diode and area	USPAT; US-PGPUB
68	BRS	64	P+/N same diode and (shape form)	USPAT; US-PGPUB
69	BRS	48	P+/N same diode and (contact contacts)	USPAT; US-PGPUB
70	BRS	5	P+/N same diode and (rectangular square circular disc disk) adj shape	USPAT; US-PGPUB
71	BRS	15	5,436,183	USPAT; US-PGPUB
72	BRS	3	6,420,266	USPAT; US-PGPUB
73	BRS	17	5,744,842	USPAT; US-PGPUB
74	BRS	20	5,117,129	USPAT; US-PGPUB
75	BRS	10	5,946,177	USPAT; US-PGPUB
76	BRS	300	esd same (resistance resistor) same (MOSFET FET)	USPAT; US-PGPUB
77	BRS	16	esd same (resistance resistor) adj (MOSFET FET)	USPAT; US-PGPUB
78	BRS	0	pull adj MOSFET same (advantage advantages)	USPAT; US-PGPUB
79	BRS	0	pull adj mosfet same (advantage advantages)	USPAT; US-PGPUB
80	BRS	5	pull adj2 mosfet same (advantage advantages)	USPAT; US-PGPUB
81	BRS	1281	327/537	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
82	BRS	2240	327/530	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
83	BRS	875	327/109	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
84	BRS	24	esd same shunt same RC	USPAT; US-PGPUB
85	BRS	4	("4363068" "4692834" "4787007" "4890187").PN.	USPAT
86	BRS	9	("5719737" "5828259" "5835328" "5838146" "5907464" "5940258" "5946177" "5956219" "6008970").PN.	USPAT
87	BRS	17	5,744,842	USPAT; US-PGPUB
88	BRS	806	esd and rectangular	USPAT; US-PGPUB
89	BRS	170	esd and rectangular adj shape	USPAT; US-PGPUB
90	BRS	148	esd and rectangular adj shape and (contat contacts)	USPAT; US-PGPUB
91	BRS	91	esd and diode and rectangular adj shape and (contat contacts)	USPAT; US-PGPUB

	Time Stamp	Comments	Error Definition	Errors
66	2003/07/16 12:00			0
67	2003/07/16 12:01			0
68	2003/07/16 12:35			0
69	2003/07/16 13:21			0
70	2003/07/16 12:40			0
71	2003/07/16 14:10			0
72	2003/07/16 14:50			0
73	2003/07/16 16:08			0
74	2003/07/16 16:10			0
75	2003/07/16 16:12			0
76	2003/07/16 16:13			0
77	2003/07/16 16:47			0
78	2003/07/16 16:48			0
79	2003/07/16 16:48			0
80	2003/07/16 16:48			0
81	2003/07/16 16:58			0
82	2003/07/17 08:48			0
83	2003/07/17 08:48			0
84	2003/07/17 13:48			0
85	2003/07/17 10:47			0
86	2003/07/17 11:42			0
87	2003/07/17 14:19			0
88	2003/07/17 14:20			0
89	2003/07/17 14:20			0
90	2003/07/17 14:21			0
91	2003/07/17 14:22			0

	Type	Hits	Search Text	DBs
92	BRS	91	esd and diode and rectangular adj shape and (contat contacts)	USPAT; US-PGPUB
93	BRS	315	327/436	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
94	BRS	1081	327/434	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
95	BRS	2806	361/111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
92	2003/07/17 14:23			0
93	2003/07/17 15:58			0
94	2003/07/18 08:38			0
95	2003/07/18 10:44			0